ELSEVIER

Discrete Applied Mathematics 56 (1995) 347–348

DISCRETE APPLIED MATHEMATICS

Author Index

Volume 56 (1995)

Aoki, Y., Probing the arrangement of hyperplanes	(2–3)	101–125
Barth, D., J. Bond and A. Raspaud, Compatible eulerian circuits in K_n^{**}	(2–3)	127–135
Blokh, D. and G. Gutin, Maximizing traveling salesman problem for special matrices	(1)	83– 86
Bond, J., see D. Barth	(2–3)	127–135
Cheng, P. and S. Masuyama, A lower bound of the expected maximum number of edge-disjoint s–t paths on probabilistic graphs	(2–3)	137–155
Cohn, M., On the channel capacity of read/write isolated memory	(1)	1– 8
de Fraysseix, H., P. Ossona de Mendez and P. Rosenstiehl, Bipolar orientations revisited	(2–3)	157–179
Deza, M. and V.P. Grishukhin, L-polytopes and equiangular lines	(2–3)	181–217
Deza, M. and M. Laurent, Hypercube embedding of generalized bipartite metrics	(2–3)	215–230
Fischetti, M., Clique tree inequalities define facets of the asymmetric traveling salesman polytope	(1)	9– 18
Fisher, D.C. and J. Ryan, Probabilities within optimal strategies for tournament games	(1)	87– 91
Fukuda, K. and M. Namiki, Finding all common bases in two matroids	(2–3)	231–243
Grishukhin, V.P., see M. Deza	(2–3)	181–217
Gutin, G., see D. Blokh	(1)	83– 86
Hanazawa, M., H. Narushima and N. Minaka, Generating most parsimonious reconstructions on a tree: A generalization of the Farris–Swofford–Maddison method	(2–3)	245–265
Horton, S.B. and R.G. Parker, On Halin subgraphs and supergraphs	(1)	19– 35
Karzanov, A.V., Half-integral flows in a planar graph with four holes	(2–3)	267–295
Kawagoe, K., see S. Negami	(2–3)	323–331
Kohli, R. and R. Krishnamurti, Joint performance of greedy heuristics for the integer knapsack problem	(1)	37– 48
Krishnamurti, R., see R. Kohli	(1)	37– 48
Laurent, M., see M. Deza	(2–3)	215–230
Leblanc, A., Finding degeneracies among sets of lines	(1)	49– 60
Manoussakis, Y., Alternating paths in edge-colored complete graphs	(2–3)	297–309
Masuyama, S., see P. Cheng	(2–3)	137–155
Matsui, T. and S. Tamura, Adjacency on combinatorial polyhedra	(2–3)	311–321
Matsui, T., see M. Shigeno	(2–3)	333–343
Minaka, N., see M. Hanazawa	(2–3)	245–265
Namiki, M., see K. Fukuda	(2–3)	231–243
Narushima, H., see M. Hanazawa	(2–3)	245–265

Elsevier Science B.V.

Negami, S. and K. Kawagoe, Polynomial invariants of graphs with state models (2–3) 323–331
Norris, N., Universal covers of graphs: isomorphism to depth $n-1$ implies isomorphism to all depths (1) 61– 74
Ossona de Mendez, P., see H. de Fraysseix (2–3) 157–179
Parker, R.G., see S.B. Horton (1) 19– 35
Prisner, E., Clique covering and clique partition in generalizations of line graphs (1) 93– 98
Raspaud, A., see D. Barth (2–3) 127–135
Rosenstiehl, P., see H. Fraysseix (2–3) 157–179
Ryan. J., The depth and width of local minima in discrete solution spaces (1) 75– 82
Ryan, J., see D.C. Fisher (1) 87– 91
Saruwatari, Y., see M. Shigeno (2–3) 333–343
Shigeno, M., Y. Saruwatari and T. Matsui, An algorithm for fractional assignment problems (2–3) 333–343
Tamura, S., see T. Matsui (2–3) 311–321